

2-Ethylanthraquinone Hydrogenation Catalyst H2 Purity ≥ 98% Shelf Life 2 Years

Basic Information

Place of Origin: CHINA

• Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100



Product Specification

Application: Catalyst For 2-ethylanthraquinone

Hydrogenation Reactions

• Purity: ≥ 98%

• Density: 0.55 G/cm3

Storage: Store In Dry Place

Solubility: Insoluble In Water

• Shelf Life: 2 Years

• Highlight: catalyst h2 purity,

2-ethylanthraquinone catalyst h2,

purity 2-ethylanthraquinone hydrogenation

catalyst

Product Description:

If you are looking for a reliable way to improve your hydrogenation reactions, then the 2-Ethylanthraquinone Hydrogenation Catalyst is perfect for you. This Catalyst is suitable for use in a variety of applications, including oil column, drip ball, and other hydrogenation reactions.

You can store this product in a dry place, making it easy to access and use whenever you need it. With its long shelf life, you can be sure that it will last for a long time, providing you with a reliable and cost-effective solution for your hydrogenation needs.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Shelf Life: 2 Years

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Solubility: Insoluble In Water Storage: Store In Dry Place Density: 0.55 G/cm3

This 2-Ethylanthraquinone Hydrogenation Catalyst is a great catalyst for hydrogenation reactions involving 2-ethylanthraquinone. It is insoluble in water and has a density of 0.55 G/cm3. With a shelf life of 2 years, this catalyst can be stored in a dry place until needed. It is a great addition to any oil ammonia column.

Technical Parameters:

Storage	Store in dry place
Application	Catalyst for 2-ethylanthraquinone hydrogenation reactions
Solubility	Insoluble in water
Shelf Life	2 years
Density	0.55 g/cm3
Purity	≥ 98%

Applications:

This catalyst is widely used in the production of hydrogen peroxide through the anthraquinone process. It is specifically designed for the reduction of 2-ethylanthraquinone to 2-ethylanthrahydroquinone, which is an essential step in the production of hydrogen peroxide. This product is also suitable for use in the oil ammonia column.

The 2-ethylanthraquinone hydrogenation catalyst is highly effective in reducing the amount of drip ball formation in the hydrogenation process. It can significantly reduce the amount of unwanted by-products that can negatively affect the quality of the end product. This makes it an ideal choice for manufacturers who require a high level of precision and quality control in their production processes. In addition to its use in the production of hydrogen peroxide, the 2-ethylanthraquinone hydrogenation catalyst can also be used in other industrial processes that require the reduction of quinones. Its high purity and solubility characteristics make it a versatile product that can be used in a variety of applications.

Customization:

Customize your 2-Ethylanthraquinone hydrogenation catalyst (Model KME-100) to meet your specific needs with our product customization services. Our catalyst is made in CHINA and has a purity of \geq 98%. It is insoluble in water and has a density of 0.55 G/cm3, with a shelf life of 2 years.

Our customization services include:

Oil ammonia column design and optimization

Customized 2-Ethylanthraquinone particle sizes

Drip ball customization for precise catalyst delivery

Store the catalyst in a dry place to ensure optimal performance. Contact us to discuss your specific product needs and how our customization services can help you.

Packing and Shipping:

Product: 2-Ethylanthraquinone Hydrogenation Catalyst

Packaging: The product will be packaged in a sturdy plastic container to ensure safe transport and storage.

Shipping: The product will be shipped via standard ground shipping within 1-3 business days of receiving the order. Expedited shipping is available upon request for an additional fee.



+8618254266810

jycat@qdjunyao.com.cn



jyalumcatalyst.com