



Insoluble In Water Alumina Carrier Catalyst 2-ethylanthraquinone Hydrogenation 2.2mm-2.6mm

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation carrier
- Model Number: KME-100



Product Specification

- Solubility: Insoluble In Water
- Purity: $\geq 99\%$
- Boiling Point: Not Available
- Particle Size: 2.2-2.6mm
- Density: 0.54 G/cm³
- Storage: Store In Dry Place
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation
- Carrier Material: Alumina
- Highlight: **alumina carrier catalyst 2-ethylanthraquinone, 2-ethylanthraquinone hydrogen alumina carrier, hydrogenation alumina carrier catalyst**

Product Description

Product Description:

The catalyst is designed to be used in the presence of a hydrogenation reaction, which is essential for the production of hydrogen peroxide. It is an effective solution for producing high-quality hydrogen peroxide solution, which is a crucial ingredient in various industrial applications. With this product, manufacturers can produce high-quality hydrogen peroxide with ease.

The product has a particle size of 2.2-2.6mm, making it ideal for use in various industrial processes. Its unique particle size ensures that it is easy to handle and that it does not clump or clog during the manufacturing process. The 2-Ethylanthraquinone Hydrogenation Alumina Carrier is also highly stable and can be stored in a dry place without the risk of degradation or loss of activity.

The boiling point of the 2-Ethylanthraquinone Hydrogenation Alumina Carrier is not available, but this does not affect its effectiveness in the hydrogenation reaction. The catalyst is designed to withstand high temperatures and pressures, making it an ideal solution for various industrial applications.

Overall, the 2-Ethylanthraquinone Hydrogenation Alumina Carrier is a highly effective catalyst that is specifically designed for the hydrogenation of 2-ethylanthraquinone to produce hydrogen peroxide solution. Its high purity level, unique particle size, and stability make it an ideal solution for various industrial processes. It is an essential ingredient in the production of high-quality hydrogen peroxide, which is used in various industrial applications.

When using this product, it is recommended to follow the manufacturer's instructions carefully. Additionally, it is essential to store the product in a dry place to ensure its stability and effectiveness. With the 2-Ethylanthraquinone Hydrogenation Alumina Carrier, manufacturers can produce high-quality hydrogen peroxide with ease, resulting in an efficient and reliable manufacturing process. Order now and experience the benefits of the 2-Ethylanthraquinone Hydrogenation Alumina Carrier for your industrial processes.

Technical Parameters:

Product Name	Hydrogenation Alumina Carrier
Storage	Store In Dry Place
Boiling Point	Not Available
Density	0.54 G/cm3
Solubility	Insoluble In Water
Particle Size	2.2-2.6mm
Purity	≥99%
Application	Catalyst For 2-ethylanthraquinone Hydrogenation
Carrier Material	Alumina
Specific Surface Area	≥850 M2/g

Applications:

Hydrogenation processes: The hydrogenation alumina carrier is an essential component for hydrogenation processes, which are commonly used in the production of various chemicals and fuels. The carrier is used to support the catalysts used in the hydrogenation process, increasing their efficiency and effectiveness.

Drip ball production: The KME-100 is also suitable for use in the production of drip balls. The drip balls are used in the oil and gas industry to remove impurities from the liquid streams. The hydrogenation alumina carrier is an ideal material for the production of drip balls, as it is highly resistant to corrosion and can withstand high temperatures and pressures.

Chemical reactions: The product can also be used as a carrier for various chemical reactions. Its high purity and resistance to solubility in water make it an ideal material for use in the chemical industry, where the purity of the final product is critical.

The hydrogenation alumina carrier should be stored in a dry place, away from moisture and direct sunlight. The boiling point of the product is not available, but it is insoluble in water, which makes it suitable for use in various applications. The purity of the product is ≥99%, which guarantees reliable and consistent results every time it is used.

Customization:

Brand Name: 2-ethylanthraquinone hydrogenation carrier

Model Number: KME-100

Place of Origin: CHINA

Storage: Store In Dry Place

Specific Surface Area: ≥850 M2/g

Carrier Material: Alumina

Application: Catalyst For 2-ethylanthraquinone Hydrogenation

Boiling Point: Not Available

This product is a Hydrogenation Alumina Carrier, suitable for use as a catalyst for 2-ethylanthraquinone hydrogenation. It is recommended for use with a suitable working fluid, such as hydrogen peroxide solution.

Support and Services:

Our 2-Ethylanthraquinone Hydrogenation Alumina Carrier product is designed to provide efficient and reliable hydrogenation performance. Our technical support team is available to assist with any questions regarding product usage, troubleshooting, and optimization. We also offer a range of services including product customization, pilot plant testing, and process development support to ensure the best performance of our product in your specific application. Contact us to learn more about our product and services.

Packing and Shipping:

Product Name: 2-Ethylanthraquinone Hydrogenation Alumina Carrier

Product Description: This product is used as a catalyst carrier in the hydrogenation of 2-ethylanthraquinone to produce hydrogen peroxide.

Package: The product is packaged in 25kg fiber drums lined with plastic bags.

Shipping: The product is shipped in accordance with all applicable regulations and requirements for hazardous materials.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com