



0.55G/cm³ 2-Ethylanthraquinone Hydrogenation Catalyst Insoluble In Water Shelf Life 2 Years Density 0.55

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Density: 0.55 G/cm³
- Shelf Life: 2 Years
- Storage: Store In Dry Place
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Solubility: Insoluble In Water
- Purity: ≥ 98%
- Highlight: **0.55g/cm³ 2-ethylanthraquinone hydrogenation catalyst**
, 0.55g/cm³ acetylene hydrogenation catalyst,
2-ethylanthraquinone acetylene hydrogenation catalyst

Product Description

Product Description:

With a shelf life of 2 years and a density of 0.55 g/cm³, this catalyst is a reliable and long-lasting solution for your chemical needs. It is important to store this product in a dry place to ensure its effectiveness and longevity.

One of the key features of this catalyst is its solubility. It is insoluble in water, making it an ideal solution for use in various chemical processes.

The 2-Ethylantraquinone Hydrogenation Catalyst contains palladium, which is a highly effective metal for catalytic reactions. Palladium is known for its unique electronic properties, which make it an excellent catalyst for many industrial processes.

When used for 2-ethylantraquinone hydrogenation reactions, this catalyst produces consistent and reliable results. It is an essential component for many chemical processes and is used in a wide range of industries, including pharmaceuticals, petrochemicals, and fine chemicals.

Overall, the 2-Ethylantraquinone Hydrogenation Catalyst is a high-quality product that is an essential component for many industrial processes. Its solubility, density, and shelf life make it a reliable and long-lasting solution for a wide range of chemical applications. And with palladium as its active ingredient, this catalyst is sure to produce consistent and reliable results every time.

Technical Parameters:

Solubility:	Insoluble In Water
Purity:	≥ 98%
Density:	0.55 G/cm ³
Application:	Catalyst For 2-ethylantraquinone Hydrogenation Reactions
Shelf Life:	2 Years
Storage:	Store In Dry Place

This product is a Hydrogenation Catalyst that is suitable for use in Oil column.

Applications:

The 2-ethylantraquinone hydrogenation catalyst is used as a catalyst for 2-ethylantraquinone hydrogenation reactions. This catalyst is specifically designed to be used in drip ball reactors, making it ideal for a wide range of applications.

One of the primary application occasions for this catalyst is in the chemical industry. This product is commonly used in the production of hydrogenated 2-ethylantraquinone, which is used as a raw material for the production of hydrogen peroxide. The 2-ethylantraquinone hydrogenation catalyst is also used in the manufacturing of various other chemicals, including anthraquinone dyes.

Another scenario where the 2-ethylantraquinone hydrogenation catalyst is used is in the pharmaceutical industry. This product is used as a catalyst in the hydrogenation of certain drug intermediates, including those used to make antibiotics and antihypertensive drugs.

The 2-ethylantraquinone hydrogenation catalyst is also used in research and development. This product is commonly used in laboratory settings to study the hydrogenation of 2-ethylantraquinone and other related compounds.

Overall, the 2-ethylantraquinone hydrogenation catalyst is a versatile product that can be used in a wide range of applications. Its high purity and density make it a popular choice in the chemical and pharmaceutical industries. If you need a reliable catalyst for your hydrogenation reactions, the 2-ethylantraquinone hydrogenation catalyst is an excellent choice. Just remember to store it in a dry place to ensure its shelf life of 2 years.

Customization:

Customize your 2-ethylantraquinone hydrogenation catalyst with our product customization services. Our brand name is 2-ethylantraquinone hydrogenation catalyst with model number KME-100. It originates from China and has a purity of ≥ 98%. It is also insoluble in water with a density of 0.55 g/cm³. Store in a dry place for optimal performance. This catalyst is commonly used for 2-ethylantraquinone hydrogenation reactions.

Looking for a specific application? Our customization services can tailor this product to your needs. Whether you need a drip ball or drip ball, our team can help you achieve your desired outcome with our high-quality 2-ethylantraquinone catalyst.

Support and Services:

The 2-Ethylantraquinone Hydrogenation Catalyst product is supported by our team of technical experts who provide comprehensive technical support and services. Our team is dedicated to ensuring that our customers receive the highest level of support throughout the entire product lifecycle.

Our technical support services include:

Expert consultation and troubleshooting

Product performance optimization

Customized catalyst development

On-site technical support and training

In addition to our technical support services, we also offer a range of services to help customers get the most out of their catalyst products, including:

Product testing and analysis

Product scale-up and process optimization

Product packaging and logistics

Our commitment to technical excellence and customer satisfaction sets us apart from other catalyst suppliers. Contact us today to learn more about our technical support and services for the 2-Ethylantraquinone Hydrogenation Catalyst product.

Packing and Shipping:

Product Name: 2-Ethylantraquinone Hydrogenation Catalyst

Package Contents: 1 bottle (500 g)

Package Dimensions: 10 cm x 10 cm x 15 cm

Package Weight: 600 g

Shipping Method: Standard Ground Shipping

Shipping Cost: Calculated at checkout



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com