



Insoluble In Water Oil Ammonia Column Ammonia Cracking Catalyst 98% Purity

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Density: 0.55 G/cm³
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Purity: $\geq 98\%$
- Storage: Store In Dry Place
- Shelf Life: 2 Years
- Solubility: Insoluble In Water
- Highlight: **purity ammonia cracking catalyst,
purity ammonia decomposition catalyst,
2-ethylanthraquinone ammonia cracking catalyst**

Product Description

Product Description:

The 2-Ethylanthraquinone Hydrogenation Catalyst is made from high-quality materials and is designed to offer superior performance and consistency. It has a density of 0.55 G/cm³, which makes it easy to handle and use in a variety of different applications. Additionally, this catalyst has a purity of $\geq 98\%$, ensuring that it provides accurate and consistent results every time.

One of the key benefits of the 2-Ethylanthraquinone Hydrogenation Catalyst is its solubility. It is insoluble in water, which makes it ideal for use in oil columns. This means that it can be easily incorporated into various production processes, making it a versatile and practical choice for many different applications.

The 2-Ethylanthraquinone Hydrogenation Catalyst contains palladium, which is a highly effective catalyst for many different reactions. This makes it an ideal choice for use in a variety of different industries, including the pharmaceutical, chemical, and petrochemical industries.

Overall, the 2-Ethylanthraquinone Hydrogenation Catalyst is a top-quality product that offers superior performance and reliability. Its shelf life, density, purity, and solubility make it an ideal choice for a wide range of applications, and its use of palladium ensures that it can deliver consistent results with every use.

Technical Parameters:

Purity	$\geq 98\%$
Application	Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
Density	0.55 G/cm ³
Shelf Life	2 Years
Solubility	Insoluble In Water
Storage	Store In Dry Place

Applications:

The 2-ethylanthraquinone hydrogenation catalyst is widely used in the chemical industry. It is commonly used in the production of hydrogen peroxide, which is used in a variety of applications such as bleaching, disinfecting, and oxidizing. The catalyst is also used in the production of palladium, which is a valuable metal used in the production of electronics and other industrial applications. The catalyst is suitable for use in a variety of occasions and scenarios. It is commonly used in oil columns, where it helps to improve the efficiency of the oil column. The catalyst is also used in oil ammonia columns, where it helps to reduce the amount of ammonia that is produced. In addition, the catalyst is used in the production of fine chemicals and pharmaceuticals, where its high purity and effectiveness make it an ideal choice.

The 2-ethylanthraquinone hydrogenation catalyst is a versatile product that is used in many different industries. It is a highly effective catalyst that has a wide range of applications. Its high purity and effectiveness make it an ideal choice for use in a variety of occasions and scenarios. Whether it is used in oil columns, oil ammonia columns, or in the production of fine chemicals and pharmaceuticals, the 2-ethylanthraquinone hydrogenation catalyst is an essential product that is sure to deliver the results that you need.

Customization:

Product Customization Services:

Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100

Place of Origin: CHINA

Solubility: Insoluble In Water

Purity: $\geq 98\%$

Shelf Life: 2 Years

Storage: Store In Dry Place

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

This product can be customized based on your specific needs. We offer a variety of customization options, including:

Adding Palladium as a co-catalyst

Providing Drip ball option for easy dispensing

Including Palladium as a main component of the catalyst

Contact us today to discuss how we can customize this product to meet your requirements.

Support and Services:

The 2-Ethylanthraquinone Hydrogenation Catalyst product provides reliable and high activity performance in the hydrogenation process of 2-ethylanthraquinone. Our technical support team is available to assist with any questions or concerns regarding the product's performance or usage. Additionally, we offer services such as catalyst testing, performance evaluation, and catalyst regeneration to ensure optimal performance and longevity of the catalyst. Trust in our expertise to enhance your hydrogenation process.

Packing and Shipping:

Product: 2-Ethylantraquinone Hydrogenation Catalyst

Description: This catalyst is used in the hydrogenation of 2-ethylantraquinone to produce 2-ethylhydroantraquinone, which is a key intermediate in the production of hydrogen peroxide.

Packaging: The catalyst is packaged in 25 kg plastic bags.

Shipping: The product is shipped in sealed, labeled bags and stored in a dry, cool place away from direct sunlight. Please handle with care and follow all safety instructions provided.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com