



## Store in Dry Place 2-Ethylanthraquinone Hydrogenation Catalyst with Solubility

Our Product Introduction

for more products please visit us on [jyalumcatalyst.com](http://jyalumcatalyst.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



### Product Specification

- Storage: Store In Dry Place
- Purity:  $\geq 98\%$
- Shelf Life: 2 Years
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Solubility: Insoluble In Water
- Density: 0.55 G/cm<sup>3</sup>
- Highlight: **2-ethylanthraquinone acetylene hydrogenation catalyst**  
**, solubility acetylene hydrogenation catalyst,**  
**solubility 2-ethylanthraquinone hydrogenation catalyst**

## Product Description

### Product Description:

The density of this catalyst is 0.55 G/cm<sup>3</sup>, which makes it easy to handle and use in a variety of settings. It is also insoluble in water, which further adds to its versatility and ease of use.

This hydrogenation catalyst contains palladium, which is a highly effective metal for catalyzing hydrogenation reactions. Palladium is known for its ability to promote hydrogenation reactions while minimizing unwanted side reactions.

This catalyst is commonly used in the oil ammonia column for hydrogenation reactions. The oil ammonia column is a key component of many industrial processes, and the 2-Ethylanthraquinone Hydrogenation Catalyst is an important part of this process.

The 2-Ethylanthraquinone Hydrogenation Catalyst has a shelf life of two years, which gives users ample time to use the catalyst for their hydrogenation reactions. This long shelf life ensures that the catalyst remains effective and reliable, even after extended periods of storage.

In summary, the 2-Ethylanthraquinone Hydrogenation Catalyst is a highly effective catalyst for hydrogenation reactions involving 2-ethylanthraquinone. With its high purity, low density, and solubility in water, this catalyst is easy to handle and use in a variety of settings. The addition of palladium to the catalyst further enhances its effectiveness, making it an important component of many industrial processes, including the oil ammonia column.

### Technical Parameters:

Product Name	Hydrogenation Catalyst for 2-Ethylanthraquinone
Storage	Store in Dry Place
Shelf Life	2 Years
Purity	≥ 98%
Density	0.55 g/cm <sup>3</sup>
Application	Catalyst for 2-Ethylanthraquinone Hydrogenation Reactions in Oil Column
Solubility	Insoluble in Water

### Applications:

The 2-ethylanthraquinone hydrogenation catalyst KME-100 is perfect for use as a hydrogenation catalyst in various applications, including oil ammonia columns and other chemical processing plants. Its high density of 0.55 g/cm<sup>3</sup> and insolubility in water make it an ideal choice for use in these scenarios.

When it comes to product application occasions, the KME-100 hydrogenation catalyst is an excellent choice for refining crude oil and other related applications. Additionally, it can be used to produce hydrogen peroxide, which is commonly used for bleaching purposes in the paper and textile industries. The KME-100 catalyst can also be used in the production of specialty chemicals such as pharmaceuticals, agrochemicals, and dyes.

Overall, the 2-ethylanthraquinone hydrogenation catalyst KME-100 is an excellent choice for those in need of a high-quality hydrogenation catalyst. Its purity, shelf life, and density make it ideal for use in various industrial applications, including oil ammonia columns, and other chemical processing plants. It is a versatile product that can be used in refining crude oil and the production of specialty chemicals.

### Customization:

#### Product Customization Services:

Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100

Place of Origin: CHINA

Storage: Store In Dry Place

Shelf Life: 2 Years

Density: 0.55 G/cm<sup>3</sup>

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Solubility: Insoluble In Water

This product is a hydrogenation catalyst designed for the 2-ethylanthraquinone hydrogenation reactions. It has a density of 0.55 G/cm<sup>3</sup> and a shelf life of 2 years. It is recommended to store this product in a dry place. This product is insoluble in water and can be used with a drip ball.

### Support and Services:

The 2-Ethylanthraquinone Hydrogenation Catalyst is a high-performance product designed to facilitate the hydrogenation process in various industrial applications. Our technical support team is available to provide expert guidance on the use and optimization of this catalyst to ensure maximum efficiency and yield. Additionally, we offer a range of services including catalyst testing, analysis, and custom formulation to meet specific customer needs. Contact us to learn more about our technical support and services.

## Packing and Shipping:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Product Description: This catalyst is used in the hydrogenation process of 2-ethylanthraquinone, a key intermediate in the production of hydrogen peroxide.

Packaging: The product is packaged in sealed, airtight containers to ensure maximum purity and stability during shipping and storage.

Shipping: The product is shipped in compliance with all applicable regulations and guidelines for the safe and secure transport of chemicals. Shipping options and rates are available upon request.



**Qingdao Junyao Catalyst New Material Technology Co., Ltd.**



+8618254266810



[jycat@qdjunyao.com.cn](mailto:jycat@qdjunyao.com.cn)



[jyalumcatalyst.com](http://jyalumcatalyst.com)