



## CCR alumina catalyst carrier Spherical Enhanced Electrical Insulation And Water Resistance

Our Product Introduction

for more products please visit us on [jyalumcatalyst.com](http://jyalumcatalyst.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: CCR carrier
- Model Number: KMC-100



### Product Specification

- Material: Alumina
- Electrical Insulation: Excellent
- Abrasion Resistance: Excellent
- Water Absorption: Low
- Thermal Stability: Up To 1000°C
- Bulk Density: 0.55-0.66 G/cm<sup>3</sup>
- Crush Strength: 50 Lbs
- Pore Size: Medium
- Highlight: **ccr alumina carrier Spherical ,  
CCR alumina catalyst carrier,  
Water Resistance alumina catalyst carrier**

## Product Description

### Product Description:

The surface area of the CCR Alumina Carrier product is an impressive 200 M2/g, which makes it an ideal choice for a wide range of applications. Whether you are looking to improve your refining process or simply need a reliable carrier for your oil column, this product is sure to deliver.

The crush strength of the CCR Alumina Carrier is an impressive 50 lbs, which makes it one of the most durable options on the market. This strength ensures that the carrier can withstand the rigors of daily use without showing signs of wear and tear.

One of the most impressive features of this product is its ability to act as an effective catalyst carrier. Alumina is known for its ability to enhance the catalytic properties of other materials, making it an ideal choice for those looking to improve the efficiency of their refining process.

Overall, the CCR Alumina Carrier is an excellent choice for those in need of a high-quality carrier for their oil column. With its impressive thermal conductivity, thermal stability, surface area, and crush strength, this carrier is sure to deliver reliable and consistent results for years to come.

### Features:

Product Name: CCR Alumina Carrier

Bulk Density: 0.55-0.66 G/cm3

Electrical Insulation: Excellent

Crush Strength: 50 Lbs

Thermal Conductivity: High

Material: Alumina

Alumina catalyst carrier for CCR

CCR alumina carrier

Drip ball

### Technical Parameters:

Alumina catalyst carrier for CCR	
Surface Area	200 M2/g
Chemical Resistance	Acids And Bases
Crush Strength	50 Lbs
Shape	Sphere
Water Absorption	Low
Material	Alumina
Pore Size	Medium
Electrical Insulation	Excellent
Mechanical Strength	High
Bulk Density	0.55-0.66 G/cm3
Oil column	
Alumina catalyst carrier	

### Applications:

The CCR carrier model number is KMC-100, and it comes in a medium pore size that is perfect for a range of applications. The product has excellent chemical resistance to acids and bases, ensuring that it can withstand even the harshest environments. The carrier is a sphere shape, with a 1/8 inch size, making it easy to handle and transport. It also has excellent abrasion resistance, ensuring that it can withstand the wear and tear of everyday use.

The CCR Alumina Carrier has many applications across a range of industries. It is commonly used in the chemical industry as an Alumina catalyst carrier, where it is used to support and stabilize catalysts. It is also used in the petrochemical industry as a drip ball, where it is used to distribute liquids evenly across a surface. Additionally, the CCR carrier is used in the pharmaceutical industry, where it is used as a support for drug delivery systems.

Overall, the CCR Alumina Carrier is a versatile and durable product that is perfect for a range of applications. Its excellent chemical resistance and abrasion resistance make it ideal for use in harsh environments, while its medium pore size and sphere shape make it easy to handle and transport. If you are looking for a high-quality Alumina catalyst carrier or drip ball, the CCR Alumina Carrier is an excellent choice.

## Customization:

## Support and Services:

Our CCR Alumina Carrier product comes with comprehensive technical support and services to ensure optimal performance and longevity. Our team of experts is available to assist with installation, maintenance, and troubleshooting. We also offer product training to ensure proper usage and handling. In addition, we provide regular updates and improvements to ensure our product remains at the forefront of industry standards. Contact us for more information on our technical support and services.

## Packing and Shipping:

### Product Packaging:

The CCR Alumina Carrier product will be securely packaged in a cardboard box to prevent any damage during transportation.

The box will be labeled with the product name and a handling symbol.

### Shipping:

The product will be shipped via a reputable courier service.

The shipping cost will be included in the product price.

The product will be shipped within 3-5 business days of receiving the order.

A tracking number will be provided to the customer once the product has been shipped.



**Qingdao Junyao Catalyst New Material Technology Co., Ltd.**



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com