

Insoluble 2-Ethylanthraquinone Hydrogenation Alumina Carrier For Dry **Storage**

Basic Information

• Place of Origin: **CHINA**

• Brand Name: 2-ethylanthraquinone hydrogenation carrier

KME-100 • Model Number:



Product Specification

· Application: Catalyst For 2-ethylanthraquinone

Hydrogenation

• Carrier Material: Alumina

Store In Dry Place • Storage:

• Particle Size: 2.2-2.6mm • Specific Surface Area: ≥850 M2/g 0.54 G/cm3 • Density: • Purity: ≥99%

• Boiling Point: Not Available

• Highlight: Insoluble alumina carrier,

2-Ethylanthraquinone Hydrogenation alumina

carrier

, Dry Storage alumina carrier

Product Description:

The specific surface area of the 2-Ethylanthraquinone Hydrogenation Alumina Carrier is ≥850 M2/g, making it an excellent catalyst. This attribute makes it perfect for the production of hydrogen peroxide solution. Hydrogen peroxide solution is a vital chemical that is used in various industries, including pharmaceuticals, paper, and textile industries. The 2-Ethylanthraquinone Hydrogenation Alumina Carrier plays an essential role in the production of hydrogen peroxide solution.

This Hydrogenation Alumina Carrier is stored in a dry place to prevent moisture from affecting its properties. It is essential to store it in a dry place to avoid any degradation that may occur due to moisture. The product should be kept in a sealed container to prevent any exposure to moisture.

The 2-Ethylanthraquinone Hydrogenation Alumina Carrier is a catalyst that is used in the production of hydrogen peroxide solution. Hydrogen peroxide solution is used in various industries, including paper and textile industries. The Hydrogenation Alumina Carrier is made up of Alumina, which is a carrier material that is widely used in the chemical industry.

In conclusion, the 2-Ethylanthraquinone Hydrogenation Alumina Carrier is an essential product in the chemical industry. It is used as a catalyst in the production of hydrogen peroxide solution. This product is insoluble in water and has no boiling point available. The Hydrogenation Alumina Carrier is made up of Alumina, which is a carrier material that is widely used in the chemical industry. The specific surface area of the product is ≥850 M2/g, making it an excellent catalyst. It is stored in a dry place to prevent moisture from affecting its properties. The 2-Ethylanthraquinone Hydrogenation Alumina Carrier is an essential product for the production of hydrogen peroxide solution, which is used in various industries, including pharmaceuticals, paper, and textile industries.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Alumina Carrier

Carrier Material: Alumina

Application: Catalyst For 2-ethylanthraquinone Hydrogenation

Solubility: Insoluble In Water Specific Surface Area: ≥850 M2/g

Density: 0.54 G/cm3

This product is commonly used as a catalyst for the hydrogenation of 2-Ethylanthraquinone. It is insoluble in water and has a high specific surface area of at least 850 M2/g. Its density is 0.54 G/cm3. It can be used in the production of H2O2, a hydrogen peroxide solution.

Technical Parameters:

Product Attribute	Value
Product Name	Drip ball 2-Ethylanthraquinone Hydrogenation Alumina Carrier
Specific Surface Area	≥850 M2/g
Solubility	Insoluble In Water
Application	Catalyst For 2-ethylanthraquinone Hydrogenation
Carrier Material	Alumina
Particle Size	2.2-2.6mm
Density	0.54 G/cm3
Boiling Point	Not Available
Purity	≥99%
Storage	Store In Dry Place

Applications:

The primary application of this product is as a catalyst for the hydrogenation of 2-ethylanthraquinone. This reaction is an essential step in the production of hydrogenated oils, which are commonly used in the manufacture of soaps, detergents, and other consumer products. The 2-ethylanthraquinone hydrogenation carrier is designed to be used in conjunction with a drip ball. This combination allows for precise control of the hydrogenation process, ensuring that the reaction proceeds smoothly and efficiently.

This product is ideal for use in a variety of industrial settings, including chemical manufacturing, oil refining, and food production. It is also suitable for use in laboratory research and development applications.

Overall, the 2-ethylanthraquinone hydrogenation carrier is a reliable and effective solution for any process that requires hydrogenation alumina carrier. Its high purity, density, and solubility make it an ideal choice for a wide range of applications.

Customization:

Brand Name: 2-ethylanthraquinone hydrogenation carrier

Model Number: KME-100 Place of Origin: CHINA Particle Size: 2.2-2.6mm Specific Surface Area: ≥850 M2/g

Application: Catalyst For 2-ethylanthraquinone Hydrogenation

Solubility: Insoluble In Water

Purity: ≥99%

Our 2-Ethylanthraquinone Hydrogenation Alumina Carrier is the perfect solution for your drip ball needs. Customize your carrier to fit your specific requirements and achieve optimum results in your hydrogenation process.

Support and Services:

The 2-Ethylanthraquinone Hydrogenation Alumina Carrier product technical support and services include:

- Providing technical data and information about the product
- Offering guidance on product usage and application
- Troubleshooting and addressing any technical issues or concerns
- Providing training and education on product handling and safety
- Offering customization options to meet specific customer needs
- Providing product samples for testing and evaluation
- Offering ongoing support and communication to ensure customer satisfaction

Packing and Shipping:

Product: 2-Ethylanthraquinone Hydrogenation Alumina Carrier

Packaging: The product will be packaged in 25 kg bags made of durable and moisture-resistant material to ensure that the product arrives in good condition.

Shipping: The product will be shipped via air or sea freight, depending on the customer's preference and location. All shipments will be arranged by our trusted logistics partner to ensure timely and secure delivery of the product.





+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com