



2-Ethylanthraquinone Hydrogenation Catalyst Density 0.55 G/Cm3 Insoluble In Water For Industrials

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Storage: Store In Dry Place
- Density: 0.55 G/cm3
- Purity: $\geq 98\%$
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Shelf Life: 2 Years
- Solubility: Insoluble In Water
- Highlight: **2-Ethylanthraquinone catalyst for hydrogenation**
, high Density catalyst for hydrogenation ,
high Purity hydrogenation catalyst

Product Description

Product Description:

Our 2-Ethylanthraquinone Hydrogenation Catalyst has a density of 0.55 G/cm³, making it easy to handle and use in a variety of settings. It is recommended to store the product in a dry place to ensure maximum shelf life, which is guaranteed for 2 years from the date of production.

Our catalyst is specifically designed for use in hydrogenation reactions involving 2-ethylanthraquinone, making it an ideal choice for those working in the pharmaceutical, chemical, or other related industries. Its high purity and consistent performance make it a reliable choice for a wide range of applications.

Whether you are looking for a catalyst that can help you achieve drip ball formation or simply need a reliable product for your hydrogenation reactions, our 2-Ethylanthraquinone Hydrogenation Catalyst is the perfect choice. With its high purity, consistent performance, and long shelf life, it is sure to meet all of your needs and exceed your expectations.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Storage: Store In Dry Place

Shelf Life: 2 Years

Purity: ≥ 98%

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Density: 0.55 G/cm³

This product is commonly used in Oil column, Drip ball, and Drip ball applications.

Technical Parameters:

Density	0.55 G/cm ³
Application	Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
Storage	Store In Dry Place
Shelf Life	2 Years
Solubility	Insoluble In Water
Purity	≥ 98%

This product is a Hydrogenation Catalyst used for 2-ethylanthraquinone Hydrogenation Reactions. It has a density of 0.55 G/cm³ and is insoluble in water. It should be stored in a dry place and has a shelf life of 2 years.

Applications:

The 2-ethylanthraquinone hydrogenation catalyst is commonly used in the oil ammonia column during the production of hydrogen peroxide. The catalyst is used to promote the hydrogenation of 2-ethylanthraquinone, which is a key step in the production process. The use of this catalyst results in a higher yield of hydrogen peroxide and a more efficient production process.

This hydrogenation catalyst is suitable for various occasions and scenarios, such as in the chemical industry for the production of hydrogen peroxide. It is also used in the pharmaceutical industry for the synthesis of certain drugs.

The 2-ethylanthraquinone hydrogenation catalyst is a crucial component in the production of hydrogen peroxide. Without this catalyst, the hydrogenation process would be slower and less efficient. This product is ideal for companies looking to optimize their production processes and increase their yield of hydrogen peroxide.

Customization:

Product Customization Services:

Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100

Place of Origin: CHINA

Storage: Store In Dry Place

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Purity: ≥ 98%

Density: 0.55 G/cm³

Solubility: Insoluble In Water

We also offer customization services to meet your specific needs, including but not limited to:

Oil ammonia column catalytic hydrogenation

Palladium catalyzed hydrogenation

Support and Services:

The 2-Ethylanthraquinone Hydrogenation Catalyst product technical support and services include:

- Expert consultation on catalyst selection and application
- Customized catalyst formulation and development
- Technical training and support for catalyst handling and operation
- On-site technical assistance and troubleshooting
- Catalyst testing and analysis services
- Product performance evaluation and optimization

Packing and Shipping:

Product Packaging:

The 2-Ethylanthraquinone Hydrogenation Catalyst product will be packaged in a sealed, tamper-proof container to ensure its quality. The container will be labeled with the product name, quantity, batch number, and manufacturing date.

Shipping:

The product will be shipped via a reputable courier service that specializes in handling chemical products. The package will be securely sealed and labeled with the necessary information, including the product name, quantity, batch number, and manufacturing date. The package will also include a Material Safety Data Sheet (MSDS) for the product.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com