

0.55 G/Cm3 Hydrogenation Catalyst With Purity ≥ 98%

Basic Information

Place of Origin: CHINA

• Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100



Product Specification

• Density: 0.55 G/cm3

Purity: ≥ 98%
Shelf Life: 2 Years

• Storage: Store In Dry Place

Application: Catalyst For 2-ethylanthraquinone

Hydrogenation Reactions

• Solubility: Insoluble In Water

• Highlight: 2-Ethylanthraquinone hydrocracking catalyst,

0.55 G/Cm3 hydrogenation catalyst, 98% Purity hydrogenation catalyst

Product Description:

This catalyst is insoluble in water, making it perfect for use in oil ammonia columns. This property makes it ideal for use in a variety of industrial applications where water solubility is not desirable. It is recommended that this product be stored in a dry place to ensure its long-term effectiveness.

This catalyst has a shelf life of 2 years and is made from high-quality ingredients, including palladium, to ensure its effectiveness. Palladium is a highly effective catalyst material and is used in a wide range of industrial applications.

If you are looking for a reliable and effective catalyst for your 2-ethylanthraquinone hydrogenation reactions, our 2-Ethylanthraquinone Hydrogenation Catalyst is the perfect choice. With its high purity and excellent solubility properties, this product is sure to meet all of your needs and exceed your expectations.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Solubility: Insoluble In Water

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Purity: ≥ 98%

Storage: Store In Dry Place Density: 0.55 G/cm3 Contains Palladium Used in Drip ball

Technical Parameters:

Shelf Life	2 Years
Storage	Store In Dry Place
Application	Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
Density	0.55 G/cm3
Solubility	Insoluble In Water
Purity	≥ 98%

This product is a Hydrogenation Catalyst used for 2-Ethylanthraquinone reactions. It has a drip ball and a purity of at least 98%.

Applications:

This catalyst can be used in various scenarios, such as in the oil ammonia column, where it helps to speed up the hydrogenation process. It can also be used in the drip ball, where it plays a crucial role in enhancing the efficiency of the hydrogenation process. The 2-ethylanthraquinone hydrogenation catalyst is an essential component in the production of hydrogen peroxide, and it is commonly used in chemical plants and refineries.

When using this product, it is crucial to store it in a dry place to maintain its shelf life of two years. Additionally, this catalyst is highly effective in reducing the overall reaction time and increasing the yield in hydrogenation reactions. Furthermore, it is essential to note that the 2-ethylanthraquinone hydrogenation catalyst is compatible with different types of solvents, making it versatile and ideal for numerous applications.

Customization:

Our customization services include: Drip ball customization Hydrogenation catalyst customization Oil ammonia column customization

Support and Services:

The 2-Ethylanthraquinone Hydrogenation Catalyst product technical support and services include:

- Assistance with product selection and usage
- Troubleshooting and technical issue resolution
- Process optimization and performance improvement
- On-site training and education

- Regulatory compliance and safety support

Packing and Shipping:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Description: This catalyst is used in the production of hydrogen peroxide and other chemical reactions.

Packaging: The catalyst is packed in 25kg sealed bags made of high-quality, durable material to ensure the safe transportation and

storage of the product.

Shipping: The product will be shipped via a reliable courier service with tracking information provided to the customer. Shipping rates

and delivery times may vary depending on the destination.



+8618254266810





jyalumcatalyst.com