



High Purity Oil Column Hydrocracking Catalyst For Optimal Storage

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Solubility: Insoluble In Water
- Density: 0.55 G/cm³
- Storage: Store In Dry Place
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Purity: $\geq 98\%$
- Shelf Life: 2 Years
- Highlight: **98% purity hydrogenation catalyst,**
98% hydrocracking catalyst,
2 ethylanthraquinone hydrocracking catalyst

Product Description

Product Description:

Formulated with palladium, this hydrogenation catalyst is highly effective at converting 2-ethylanthraquinone into the desired product. It is also exceptionally pure, with a minimum purity level of 98%, ensuring that you get the most out of every reaction.

In addition to its impressive catalytic properties, this hydrogenation catalyst is also highly stable and has a long shelf life of up to two years. This makes it an excellent choice for both small-scale and large-scale reactions, providing reliable performance time and time again.

When it comes to storage, this hydrogenation catalyst is best kept in a dry place to ensure maximum stability and effectiveness. And because it is insoluble in water, you can be sure that it will remain stable and effective even under harsh reaction conditions.

So if you're looking for a high-quality hydrogenation catalyst for your 2-ethylanthraquinone reactions, look no further than our top-of-the-line product. With its exceptional purity, stability, and effectiveness, it is sure to provide the results you need to take your research or production to the next level.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Storage: Store in Dry Place

Purity: $\geq 98\%$

Solubility: Insoluble in Water

Application: Catalyst for 2-Ethylanthraquinone Hydrogenation Reactions

Density: 0.55 g/cm^3

This catalyst is effective for 2-Ethylanthraquinone hydrogenation reactions. It has a purity of at least 98%, a density of 0.55 g/cm^3 , and is insoluble in water. It should be stored in a dry place.

This catalyst is commonly used with drip ball technology and contains palladium.

Technical Parameters:

Solubility	Insoluble In Water
Density	0.55 G/cm^3
Application	Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
Purity	$\geq 98\%$
Shelf Life	2 Years
Storage	Store In Dry Place

Applications:

The 2-ethylanthraquinone hydrogenation catalyst is specifically designed for use as a catalyst in 2-ethylanthraquinone hydrogenation reactions. This product is highly effective in this application and is able to significantly reduce reaction times and improve reaction yields. There are a number of different scenarios and occasions where the 2-ethylanthraquinone hydrogenation catalyst may be used. For example, this product is commonly used in the production of hydrogenated oils, where it is added to the oil column to help facilitate the hydrogenation reaction. Additionally, the 2-ethylanthraquinone hydrogenation catalyst can be used in conjunction with a drip ball to help improve the efficiency and effectiveness of the hydrogenation process.

Another common use for the 2-ethylanthraquinone hydrogenation catalyst is in the production of palladium catalysts. In this application, the 2-ethylanthraquinone hydrogenation catalyst is used as a precursor, which is then converted into palladium through a number of different chemical reactions.

Customization:

Product Customization Services for 2-ethylanthraquinone hydrogenation catalyst KME-100

Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100

Place of Origin: CHINA

Density: 0.55 G/cm^3

Solubility: Insoluble In Water

Storage: Store In Dry Place

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Shelf Life: 2 Years

Our product customization services for 2-ethylanthraquinone hydrogenation catalyst KME-100 include:

Customized drip ball design for optimal performance.

Customized oil column for improved efficiency.

Customized palladium content for enhanced catalytic activity.

Support and Services:

Our 2-Ethylanthraquinone Hydrogenation Catalyst product is designed to provide high efficiency and selectivity in the hydrogenation of 2-ethylanthraquinone to produce hydrogenated products used in the production of hydrogen peroxide.

We offer technical support and services to assist with product selection, process optimization, and troubleshooting. Our team of experts can provide on-site support and training to ensure optimal performance of the catalyst.

In addition, we offer catalyst regeneration services to extend the catalyst life and reduce overall operating costs. Our regeneration process includes comprehensive analysis and testing to ensure that the catalyst meets or exceeds the original specifications.

Contact us for more information on our technical support and services for the 2-Ethylanthraquinone Hydrogenation Catalyst product.

Packing and Shipping:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Product Description: A highly efficient catalyst used in the hydrogenation of 2-ethylanthraquinone to 2-ethylanthrahydroquinone, a key intermediate in the production of hydrogen peroxide.

Packaging: The product is packaged in 25 kg fiber drums lined with plastic bags to ensure product purity and stability during transportation and storage.

Shipping: The product is shipped in accordance with all applicable regulations and requirements for hazardous materials. The packaging is labeled with all necessary information, including product name, weight, hazard warnings, and handling instructions.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com