



Insoluble Drip Ball Facilitating Efficient Hydrogenation Reactions Category

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Purity: $\geq 98\%$
- Density: 0.55 G/cm³
- Storage: Store In Dry Place
- Shelf Life: 2 Years
- Solubility: Insoluble In Water
- Highlight: **98% purity hydrogenation catalyst,**
98% hydrocracking catalyst,
2 ethylanthraquinone hydrocracking catalyst

Product Description

Product Description:

Our 2-Ethylanthraquinone Hydrogenation Catalyst is insoluble in water, allowing it to maintain its effectiveness even in wet conditions. It is highly pure, with a purity of $\geq 98\%$, ensuring that you get the most out of every use.

This hydrogenation catalyst is designed to be stored in a dry place, ensuring that it stays effective and long-lasting. It is made using palladium, a highly effective metal for use in catalysts.

Our 2-Ethylanthraquinone Hydrogenation Catalyst is perfect for use as a catalyst in 2-ethylanthraquinone hydrogenation reactions. It is highly effective in this application, providing consistent results and making your process more efficient.

With our high-quality hydrogenation catalyst, you can rest assured that you are using a product that is designed to meet your specific needs. Whether you are working in a lab or an industrial setting, our catalyst is the perfect solution to help you achieve your goals.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Solubility: Insoluble In Water

Storage: Store In Dry Place

Purity: $\geq 98\%$

Shelf Life: 2 Years

Density: 0.55 G/cm³

The 2-Ethylanthraquinone Hydrogenation Catalyst is an effective catalyst used for hydrogenation processes. It is insoluble in water and should be stored in a dry place. With a purity of at least 98%, this catalyst has a shelf life of 2 years. Its density is 0.55 G/cm³. It is commonly used in oil column applications.

Technical Parameters:

Application	Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
Density	0.55 G/cm ³
Solubility	Insoluble In Water
Storage	Store In Dry Place
Shelf Life	2 Years
Purity	$\geq 98\%$

Applications:

This catalyst has a long shelf life of 2 years and should be stored in a dry place to maintain its efficacy. Its excellent solubility property makes it highly stable and effective for use in various applications.

The 2-ethylanthraquinone hydrogenation catalyst is ideal for use in oil ammonia columns and oil columns. It is used in the production of hydrogenated vegetable oils, which are used in various food products.

The catalyst is also used in the production of lubricants and additives for fuels. It is highly effective in reducing the unsaturated bonds in vegetable oils and converting them to saturated bonds, which improves their stability and shelf life.

The 2-ethylanthraquinone hydrogenation catalyst is a highly versatile product that can be used in a variety of applications. It is a vital component in the production of many industrial products and is essential in meeting the increasing demand for high-quality hydrogenation catalysts.

Customization:

Customize your 2-ethylanthraquinone hydrogenation catalyst with our product customization services.

Brand Name: 2-ethylanthraquinone hydrogenation catalyst

Model Number: KME-100

Place of Origin: CHINA

Density: 0.55 G/cm³

Shelf Life: 2 Years

Purity: $\geq 98\%$

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions, Oil ammonia column

Storage: Store In Dry Place

Our hydrogenation catalyst is made with high-quality palladium and is designed for use in 2-ethylanthraquinone hydrogenation reactions.

With our customization services, you can tailor the catalyst to your specific needs, ensuring optimal performance in your oil ammonia column. Contact us today to learn more.

Support and Services:

Our 2-Ethylanthraquinone Hydrogenation Catalyst is designed to provide high catalytic activity and selectivity in the industrial production of hydrogenated anthraquinone. Our technical support and services for this product include:

Process optimization and troubleshooting
Custom catalyst formulation and development
On-site technical support and training
Performance monitoring and catalyst regeneration
Product quality assurance and control

Our team of experienced engineers and scientists are dedicated to ensuring the optimal performance and longevity of our catalysts in your industrial processes. Contact us for more information on how our 2-Ethylantraquinone Hydrogenation Catalyst can benefit your operations.

Packing and Shipping:

Product Name: 2-Ethylantraquinone Hydrogenation Catalyst

Product Description: This chemical catalyst is used in the production of hydrogen peroxide.

Packaging: The product will be packaged in 25 kg fiber drums.

Shipping: The product will be shipped via ground transportation in compliance with all applicable regulations.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com