



98% Purity 2-Ethylanthraquinone Hydrogenation Catalyst

Our Product Introduction

for more products please visit us on jyalumcatalyst.com

Basic Information

- Place of Origin: CHINA
- Brand Name: 2-ethylanthraquinone hydrogenation catalyst
- Model Number: KME-100



Product Specification

- Solubility: Insoluble In Water
- Purity: $\geq 98\%$
- Storage: Store In Dry Place
- Shelf Life: 2 Years
- Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions
- Density: 0.55 G/cm³
- Highlight: **98% purity hydrogenation catalyst,**
98% hydrocracking catalyst,
2 ethylanthraquinone hydrocracking catalyst

Product Description

Product Description:

This product is insoluble in water and is designed to be stored in a dry place, ensuring that it remains stable and effective for up to 2 years. The catalyst is commonly used in the production of hydrogen peroxide, which is used in a variety of industrial applications. The 2-Ethylanthraquinone Hydrogenation Catalyst is designed to be used in conjunction with a drip ball and oil ammonia column, making it easy to use and highly effective in catalyzing the reaction. Its high purity level ensures that it is highly effective in catalyzing the reaction, while its long shelf life makes it a cost-effective option for industrial applications. Overall, the 2-Ethylanthraquinone Hydrogenation Catalyst is an excellent choice for anyone looking for a high-quality catalyst that is easy to use, highly effective, and has a long shelf life. Whether you are producing hydrogen peroxide or other industrial chemicals, this catalyst is sure to meet your needs and exceed your expectations.

Features:

Product Name: 2-Ethylanthraquinone Hydrogenation Catalyst

Density: 0.55 G/cm³

Application: Catalyst For 2-ethylanthraquinone Hydrogenation Reactions

Solubility: Insoluble In Water

Shelf Life: 2 Years

Purity: ≥ 98%

This Hydrogenation Catalyst is perfect for use in oil ammonia column and oil column reactions.

Technical Parameters:

Solubility	Insoluble In Water
Purity	≥ 98%
Application	Catalyst For 2-Ethylanthraquinone Hydrogenation Reactions
Shelf Life	2 Years
Density	0.55 G/cm ³
Storage	Store In Dry Place

Applications:

The 2-ethylanthraquinone hydrogenation catalyst is commonly used in various scenarios, including the oil column, oil ammonia column, and other hydrogenation processes. In the oil column, this catalyst is a crucial component used in the production of high-quality lubricating oils. It is also commonly used in the oil ammonia column to help increase the production of ammonia, which is a vital component in many industrial processes.

Other scenarios where the 2-ethylanthraquinone hydrogenation catalyst is used include hydrogenation reactions in the chemical industry, such as the production of organic chemicals and polymers. This product plays a critical role in these processes by facilitating the hydrogenation reaction and improving the yield and quality of the final product.

Overall, the 2-ethylanthraquinone hydrogenation catalyst is a versatile and essential product used in various applications, including the oil column, oil ammonia column, and other hydrogenation processes. With its excellent density, solubility, and shelf life, this product is a reliable and cost-effective option for industries involved in the manufacture of lubricating oils, ammonia, and other organic chemicals.

Support and Services:

Our 2-Ethylanthraquinone Hydrogenation Catalyst is designed to provide reliable and efficient performance in hydrogenation reactions. We offer comprehensive technical support and services to help our customers optimize their processes and achieve their desired outcomes.

Our team of experts is available to provide guidance on catalyst selection, process optimization, and troubleshooting. We also offer catalyst testing and analysis services to ensure optimal catalyst performance and longevity.

In addition, we provide training and educational resources to help our customers stay up-to-date on the latest developments in catalyst technology and best practices for hydrogenation processes.

Packing and Shipping:

Our 2-Ethylanthraquinone Hydrogenation Catalyst product is carefully packaged to ensure its safe delivery to your doorstep. The product is packaged in high-quality, airtight containers to prevent any contamination or damage during shipping.

We offer both domestic and international shipping options for our customers' convenience. Our shipping rates are competitive, and we strive to provide fast and reliable service.

Please note that this product is classified as hazardous material and must be handled with care. We comply with all regulations and requirements for shipping hazardous materials domestically and internationally.



Qingdao Junyao Catalyst New Material Technology Co., Ltd.



+8618254266810



jycat@qdjunyao.com.cn



jyalumcatalyst.com